LTP	Local Transport Plan
NAEI	National Atmospheric Emissions Inventory
NO_2	Nitrogen Dioxide
NO_x	Nitrogen Oxides
NPT	Neath Port Talbot
NPTCBC	Neath Port Talbot County Borough Council
NRW	Natural Resources Wales
PAH	Polycyclic aromatic hydrocarbon. PAHs comprise a large group of compounds consisting of hydrocarbons containing two or more benzene rings fused together or to other hydrocarbon rings.
PCM	Pollution Climate Mapping. A collection of models designed to fulfil part of the UK's EU Directive (2008/50/EC) requirements to report on the concentrations of particular pollutants in the atmosphere. These models are run by Ricardo Energy & Environment on behalf of Defra. There is one model per pollutant (NOx, NO2, PM10, PM2.5, SO2, CO, benzene, ozone, As, Cd, Ni, Pb and B[a]p) each with two parts: a base year model and a projections model. The PCM provides outputs on a 1x1 km grid of background conditions plus around 9,000 representative road side values.[35]
PDR	Peripheral Distributor Road
PM_{10}	Airborne particulate matter with an aerodynamic diameter of 10µm (micrometres or microns) or less

[35] https://uk-air.defra.gov.uk/research/air-quality-modelling?view=modelling

$PM_{2.5}$	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less
RLDP	Replacement Local Development Plan
STAP	Short Term Action Plan. The Welsh Government led action plan "Clean Air for Port Talbot: Short Term Action Plan 2012", containing short term measures to be taken within the Neath Port Talbot area to reduce the risk of the daily PM_{10} limit value or alert threshold being exceeded, and where not possible to prevent the occurrence, to limit its duration or severity. [36]
WG	Welsh Government
WHO	World Health Organisation

DRAFT

[36] https://www.gov.wales/sites/default/files/publications/2019-04/clean-air-for-port-talbot-short-term-action-plan-2012.pdf